

# BolPhane® BRN

## Soft shrink polyolefin film

- Izuzetno meka folija
- Savršeno radi an mašinama visoke produktivnosti
- Visok sjaj
- Visok nivo bistrine

### APLIKACIJE

→ Bolphane® BRN folija je napravljena da može da odgovori na posebne zahteve proizvoda, za mekane i fleksibilne predmete. Uglavnom iz industrije: tekstila, papira i kancelarijske opreme.




→ U uslovima pakovanja visoke produktivnosti, BRN omogućava proizvodima veoma čistu prozirnost i nedostižnu jasnoću.

# BRN

## SHRINK PROFILE

→ U poređenju sa standardnim folijama, Bolphane® BRN održava odličnu čvrstinu sa velikim rasponom temperatura.



## TEHNIČKE KARAKTERISTIKE

PROPERTIES	15 MICRONS
Sjaj (85° angle) in %	115
Maglovitost (%)	3
Termoskupljanje (%) at 93°C	30
at 120°C	60
Duzina rolne (m) Singlewound BRN-S	2 670
Centrefolded BRN-C	1 335
Unutrašnji prečnik (mm)	76,2
Spoljašnji prečnik (mm)	245

→ Bolphane® BRN exists in Singlewound (BRN-S) or in Centerfolded (BRN-C).

The technical features of the products defined herein are given as typical values. They are guides for the use of the quoted films values and are not for use as limiting specification. Users have to check-up that they are suitable with all the applications as performance may vary with processing conditions. Properties and performance are subject to change and BOLLORÉ keeps the right to modify the definition and properties of its products without pr

Bolloré

